



NEUQUÉN

W
WINES OF ARGENTINA
A

NEUQUÉN

Terroir characteristics



LOCATION

Viticultural area

38° 37' | 38° 57'

SOUTH LATITUDE

68° 18' | 68° 14'

WEST LONGITUDE



TEMP.

Annual Average

12/15° C

54/59° F



RAINFALL

Annual Average

150 mm/year

5,9 in/year



CULTIVATED SURFACE

for vinification*

Ha: **1.764,3**

Ac: **4.359,76**

0.89% of the country

48.3% of the region



ALTITUDE

of the vineyards

270 – 415 masl

886 – 1.362 fasl



HIGHLIGHTS

The cultivated area is located at low altitude, but temperatures decrease as a result of latitude, which has a compensatory effect

*Source: National Viticulture Institute – Annual Surface Report (12/31/2020 database).

NEUQUÉN


Varieties

DISTRIBUTION

by colour*



Red grapes | **84,9%**
White grapes | **14,8%**
Pink grapes | **0,3%**




MAIN GRAPE VARIETIES

Most planted*

- Malbec
- Cabernet Sauvignon
- Merlot
- Pinot Noir
- Chardonnay

	Ha	Acres	%	%
NEUQUÉN	1764,3	4.359,76	Province	Color
Red (vinification)	1497,6	3.700,72	84,88%	100,00%
Malbec	661,9	1.635,62	37,52%	44,20%
Cabernet Sauvignon	266,7	659,04	15,12%	17,81%
Merlot	239,8	592,57	13,59%	16,01%
Pinot Noir	238,6	589,60	13,52%	15,93%
Syrah	35,8	88,47	2,03%	2,39%
Cabernet Franc	29,2	72,16	1,66%	1,95%
Petit Verdot	9,4	23,23	0,53%	0,63%
Tannat	5,3	13,10	0,30%	0,35%
Bonarda	3,0	7,41	0,17%	0,20%
Tempranillo	1,9	4,70	0,11%	0,13%
Other	6,0	14,83	0,34%	0,40%
White (vinification)	261,1	645,20	14,80%	100,00%
Chardonnay	137,5	339,78	7,79%	52,66%
Sauvignon Blanc	81,1	200,41	4,60%	31,06%
Semillón	17,7	43,74	1,00%	6,78%
Torrontés Riojano	12,6	31,14	0,71%	4,83%
Viognier	8,1	20,02	0,46%	3,10%
Torrontés Mendocino	1,4	3,46	0,08%	0,54%
Moscatel de Alejandría	1,0	2,47	0,06%	0,38%
Chenin	0,3	0,74	0,02%	0,11%
Riesling	0,1	0,25	0,01%	0,04%
Other	1,3	3,21	0,07%	0,50%
Pink (vinification)	5,6	13,84	0,32%	100,00%
Cereza	0,3	0,74	0,02%	5,36%
Criolla Grande	0,02	0,05	0,00%	0,36%
Other	5,3	13,05	0,30%	94,29%

*Source: National Viticulture Institute Annual Surface Report (12/31/2020 database).



NEUQUÉN | San Patricio del Chañar

Terroir characteristics



Located 37 miles to the northwest of the province's capital (in Añelo Department GI), it has been chosen by the largest winegrowing establishments.

In the last few years, the vineyards of this valley have grown rapidly in extension and importance.



CULTIVATED SURFACE
for vinification (Añelo Department)*

Ha: **1.592,2**

Ac: : **3.934,49**



90.25%
of the cultivated surface in the province



LOCATION
Viticultural area

38°37'
SOUTH
LATITUDE

68°18'
WEST
LONGITUDE



TEMP.
Annual Average

9/13° C

48,5/55° F



RAINFALL
Annual Average

80 / 120 mm/year

3,2 / 4,7 in/year



ALTITUDE
of the vineyards

320 - 415 masl

1.100 - 1.362 fasl



MAIN GRAPE VARIETIES

Most planted*

Malbec

Cabernet Sauvignon

Merlot

Pinot Noir

Chardonnay



Aluvional soils. Sandy-clay-loam and calcareous soils in the highest parts of the valley.

*Source: National Viticulture Institute Annual Surface Report (12/31/2020 database).



WINESOFARGENTINA.COM

  @winesofarg  /winesofargentina